

Table of Contents

| | |
|---|------------|
| Introduction | xxi |
| Chapter 1: Xcode | 1 |
| Creating a Project | 1 |
| Action Projects | 2 |
| Application Projects | 2 |
| Audio Units Projects | 3 |
| Bundle Projects | 3 |
| Command-Line Utility Projects | 3 |
| Dynamic Library Projects | 4 |
| External Build System Projects | 4 |
| Framework Projects | 4 |
| J2EE Projects | 5 |
| Java Projects | 5 |
| Kernel Extension Projects | 6 |
| Standard Apple Plug-In Projects | 6 |
| Static Library Projects | 6 |
| Creating Your Own Project Templates | 6 |
| The Project Window | 7 |
| Toolbar | 8 |
| Groups and Files List | 8 |
| Project Name | 9 |
| Targets | 10 |
| Executables | 10 |
| General Panel | 10 |
| Arguments Panel | 11 |
| Debugging Panel | 12 |
| Errors and Warnings | 12 |
| Find Results | 12 |
| Bookmarks | 12 |
| SCM | 12 |
| Project Symbols | 13 |
| Smart Groups | 14 |
| Adding Files and Frameworks to Your Project | 15 |
| Adding New Source Code Files to the Project | 15 |
| Choosing a File Type | 15 |
| Naming the File | 15 |
| Creating Your Own File Templates | 16 |
| Fixing the Copyright Notice | 17 |
| Adding Files You've Already Created | 18 |
| Source Trees | 19 |
| Adding Frameworks | 19 |

iv Table of Contents

| | |
|---|----|
| Editing Source Code | 19 |
| The Editor Window | 19 |
| Toolbar | 20 |
| Customizing the Toolbar | 20 |
| Status Bar | 20 |
| Navigation Bar | 21 |
| Editor and Gutter | 21 |
| Code Completion | 21 |
| Using the Completion List | 21 |
| Cycling Through Completion Matches | 22 |
| Customizing Code Completion | 22 |
| Getting Information About Functions and Variables | 23 |
| Customizing Source Code Editing | 23 |
| Text Editing Preferences | 23 |
| Fonts and Colors Preferences | 23 |
| Indentation Preferences | 24 |
| Key Bindings Preferences | 24 |
| Using Xcode's Class Browser | 25 |
| Browsing Classes | 25 |
| Customizing What the Class Browser Shows | 25 |
| Customizing What Appears in the Class List | 26 |
| Customizing What Appears in the Member List | 26 |
| Using Xcode's Modeling Tools | 26 |
| Modeling Classes | 26 |
| Adding a Class Model to Your Project | 27 |
| The Class Model Window | 27 |
| Class List | 28 |
| Member List | 28 |
| Selection Area | 28 |
| Class Diagram | 28 |
| Opening the Information Panel | 29 |
| Customizing the Class Diagram | 29 |
| Adding Comments | 29 |
| Filtering Information from the Diagram | 30 |
| Adding and Removing Files to Track | 30 |
| Modeling Data | 30 |
| Adding a Data Model File to Your Project | 31 |
| Data Model Window | 31 |
| Entity List | 31 |
| Property List | 32 |
| Selection Area | 32 |
| Diagram | 32 |
| Adding Entities | 33 |
| Adding Attributes | 33 |
| Adding Relationships | 33 |

| | |
|--|----|
| Adding Fetched Properties and Fetch Requests | 34 |
| Editing Predicates | 34 |
| Setting Information Dictionary Entries | 35 |
| Adding Configurations | 35 |
| Creating Source Code | 35 |
| Reading Developer Documentation | 35 |
| Searching the Developer Documentation | 36 |
| Search Groups List | 36 |
| Bookmarks List | 36 |
| Detail View | 36 |
| Editor View | 37 |
| Working with Targets | 37 |
| Adding Targets | 37 |
| Special Targets | 38 |
| BSD Targets | 38 |
| Carbon Targets | 38 |
| Cocoa Targets | 38 |
| Java Targets | 38 |
| Kernel Extension Targets | 38 |
| Legacy Targets | 39 |
| Unit Testing Targets | 39 |
| Duplicating Targets | 39 |
| Target Build Phases | 40 |
| Adding Build Phases to a Target | 40 |
| Reordering Build Phases | 41 |
| Moving a File to a Different Build Phase | 41 |
| Inspecting Target Settings | 41 |
| General Panel | 41 |
| Build Panel | 42 |
| Rules Panel | 43 |
| Properties Panel | 43 |
| General Property Settings | 44 |
| Cocoa-Specific Settings | 44 |
| Document Types | 44 |
| Configuring the Compiler | 45 |
| Build Configurations | 45 |
| Build Styles | 47 |
| Build Settings | 47 |
| General Settings Collection | 48 |
| Architectures | 48 |
| Build Locations | 48 |
| Search Paths | 49 |
| Versioning | 49 |
| Build Options | 49 |
| Linking | 49 |

vi Table of Contents

| | |
|--|----|
| Packaging | 50 |
| Deployment | 50 |
| Unit Testing | 50 |
| GNU C/C++ Compiler Settings Collection | 50 |
| Language | 51 |
| Code Generation | 52 |
| Warnings | 52 |
| Preprocessing | 53 |
| Rez Settings Collection | 53 |
| Lex Scanner Generator Settings Collection | 53 |
| Yacc Parser Generator Settings Collection | 53 |
| Adding Your Own Build Settings | 54 |
| Setting Compiler Flags for One File | 54 |
| Java Compiler Settings | 55 |
| Configuration Files | 56 |
| Creating a Configuration File | 56 |
| What Goes in a Configuration File? | 56 |
| Telling Your Project to Use a Configuration File | 57 |
| Overriding the Configuration File | 57 |
| Compiling Your Program | 58 |
| Precompiled Headers | 58 |
| ZeroLink | 58 |
| Distributed Builds | 59 |
| Cleaning Targets | 60 |
| Building Your Project | 60 |
| Seeing More Build Details | 60 |
| Building for Unsupported Languages | 61 |
| Tips for Correcting Build Errors | 62 |
| Add All Necessary Frameworks | 62 |
| Include Necessary Header Files | 62 |
| The Error May Not Be Where Xcode Says It Is | 62 |
| One Error Can Cause Multiple Syntax Errors | 62 |
| Look for Typographical Errors | 63 |
| Check Function Arguments | 63 |
| Running your Program | 63 |
| Developing for Different Versions of Mac OS X | 64 |
| Choosing a SDK | 64 |
| Choosing a Deployment Target | 64 |
| Supplying a Prefix File | 65 |

| | |
|--|-----------|
| Creating Universal Binaries for PowerPC and Intel Hardware | 65 |
| Installing the Mac OS X 10.4 Universal SDK | 65 |
| Selecting gcc 4 as the Compiler | 66 |
| Using the Mac OS X 10.4 Universal SDK in Your Project | 66 |
| Setting the Deployment Target to Mac OS X 10.4 | 66 |
| Building for PowerPC and Intel Architectures | 66 |
| Building Universal Binaries for Older Versions of Mac OS X | 67 |
| Chapter 2: Debugging with Xcode | 69 |
| Before You Debug | 69 |
| Configuring Xcode for Debugging | 69 |
| Choosing a Debugging Format | 70 |
| Setting Debugging Options for Your Program | 70 |
| Standard Input/Output | 71 |
| Remote Debugging | 71 |
| Start Executable After Starting Debugger | 71 |
| Break on Debugger() and DebugStr() Calls | 71 |
| Adding Places to Look for Files | 71 |
| Setting Environment Variables for Debugging | 72 |
| Using the Debug Version of Frameworks | 72 |
| Guard Malloc | 72 |
| Enabling Remote Debugging | 74 |
| Allowing Remote Login | 74 |
| Generating ssh Keys | 74 |
| Creating a Shared Folder for the Project's Build Products | 75 |
| Turning on Remote Debugging | 75 |
| Launching the Debugger | 76 |
| Call Stack Viewer | 76 |
| Variable Viewer | 76 |
| Custom Data Formatters | 77 |
| Viewing Shared Libraries | 78 |
| Viewing Global Variables | 79 |
| Viewing Registers | 79 |
| Breakpoints | 79 |
| The Breakpoints Window Before Xcode 2.1 | 81 |
| The Breakpoints Window After Xcode 2.1 | 82 |
| Setting Watchpoints in Xcode | 82 |
| Stepping Through Your Code | 83 |
| Viewing Memory | 83 |
| Looking at Disassembled Code | 84 |
| Fixing Your Code While Debugging | 84 |
| Debugging Command-Line Programs | 85 |

viii Table of Contents

| | |
|---|-----------|
| Using the gdb Console | 85 |
| Stopping Program Execution | 86 |
| Setting Breakpoints | 86 |
| Setting Watchpoints | 87 |
| Setting Catchpoints | 87 |
| Examining Your Breakpoints | 87 |
| Setting Conditional Breakpoints | 88 |
| Disabling and Deleting Breakpoints | 89 |
| Command Lists | 90 |
| Examining Data | 91 |
| Examining Dynamic Arrays | 91 |
| Displaying Data Automatically | 91 |
| Executing Shell Commands | 93 |
| Defining Your Own Commands | 93 |
| Conditional Commands | 94 |
| Documenting Your Commands | 95 |
| Reading Commands from a File | 96 |
| Command Hooks | 97 |
| | |
| Chapter 3: Interface Builder | 99 |
| Starting with Interface Builder | 99 |
| Creating User Interfaces for Cocoa Programs | 100 |
| Laying out the Interface | 100 |
| Adding Palettes to the Palettes Window | 101 |
| Address Book Palette | 101 |
| AppleScript Palette | 101 |
| Cocoa Menus Palette | 101 |
| Cocoa Controls and Indicators Palette | 102 |
| Cocoa Text Controls Palette | 102 |
| Cocoa Windows Palette | 103 |
| Cocoa Data Views Palette | 104 |
| Cocoa Container Views Palette | 104 |
| Cocoa Graphics Views Palette | 105 |
| Controllers Palette | 105 |
| Automator Palette | 106 |
| Disc Recording Palette | 106 |
| OSA Palette | 106 |
| PDF Kit Palette | 106 |
| UIKit Palette | 106 |
| Quartz Composer Palette | 107 |
| Customizing the Palette Window Toolbar | 107 |

| | |
|---|-----|
| Modifying the Interface | 107 |
| Attributes Panel | 108 |
| Connections Panel | 108 |
| Size Panel | 109 |
| Autosizing | 109 |
| Size Panel for Windows | 110 |
| Auto Positioning Windows | 110 |
| Bindings Panel | 111 |
| Custom Class Panel | 111 |
| Accessibility Panel | 112 |
| Help Panel | 112 |
| AppleScript Panel | 112 |
| Sherlock Panel | 113 |
| Creating Source Code in Interface Builder | 113 |
| Creating Subclasses | 114 |
| Adding Outlets and Actions | 114 |
| Creating Instances in the Nib File | 115 |
| Creating Source Code Files | 115 |
| Parsing Xcode Header Files into Interface Builder | 116 |
| Making Connections | 116 |
| Creating Bindings | 116 |
| Creating the Model Class | 117 |
| Creating the Controller | 117 |
| Binding the Model to the Controller | 117 |
| Binding the View to the Controller | 118 |
| Value Transformers | 118 |
| Placeholders | 119 |
| Working with Menus | 119 |
| Adding Menus to the Menu Bar | 119 |
| Adding Menu Items | 119 |
| Creating a Dock Menu | 120 |
| Creating a Contextual Menu | 120 |
| Testing Your Interface | 121 |
| The Nib File Window for Cocoa Applications | 121 |
| Instances Tab | 121 |
| File's Owner | 122 |
| First Responder | 122 |
| Outline View | 122 |
| Classes Tab | 123 |
| Images Tab | 124 |
| Sounds Tab | 124 |
| Nib Tab | 124 |
| Creating Cocoa Nib Files | 125 |

x Table of Contents

| | |
|--|------------|
| Creating User Interfaces for Carbon Programs | 126 |
| Laying out the Interface | 126 |
| Menus Palette | 126 |
| Controls Palette | 127 |
| Enhanced Controls Palette | 127 |
| Browsers and Tab Palette | 128 |
| Windows Palette | 129 |
| Text Based Controls Palette | 129 |
| Modifying the Interface | 129 |
| Attributes Panel | 130 |
| Control Panel | 130 |
| Size Panel | 131 |
| Layout Panel | 131 |
| Help Panel | 132 |
| Working with Menus | 132 |
| Adding Menus to the Menu Bar | 132 |
| Adding Menu Items | 132 |
| Setting a Menu Item's Command | 133 |
| Creating a Dock Menu | 133 |
| Creating a Contextual Menu | 134 |
| The Nib File Window for Carbon Applications | 134 |
| Instances Tab | 134 |
| Images Tab | 135 |
| Nib Tab | 135 |
| Importing Resource Files | 135 |
| Creating Carbon Nib Files | 136 |
| | |
| Chapter 4: Sampler | 137 |
| Call Stacks | 137 |
| Running Sampler | 138 |
| Profiling Your Program | 138 |
| Examining the Results | 139 |
| Outline View | 141 |
| Trace View | 142 |
| Examining Memory Allocations | 143 |
| Examining Specific Functions | 144 |
| Options to Control Sampler's Output | 145 |
| Generating Reports | 146 |
| Call Graph Report | 147 |
| Function Cross Reference | 147 |
| Library Cross Reference | 147 |

| | |
|--|------------|
| Chapter 5: gprof | 149 |
| Generating Profiling Code In Xcode | 149 |
| Running gprof | 150 |
| Interpreting gprof's Results | 152 |
| Flat Profile | 152 |
| Call Graph Profile | 153 |
| Cycles of Recursion | 155 |
| gprof Options | 155 |
| -a Option | 155 |
| -b Option | 156 |
| -e Option | 156 |
| -E Option | 156 |
| -f Option | 156 |
| -F Option | 157 |
| -s Option | 157 |
| -S Option | 157 |
| -z Option | 158 |
| | |
| Chapter 6: CHUD Tools | 159 |
| Shark | 159 |
| Configuring Shark | 159 |
| Time Profiles | 160 |
| System Trace | 161 |
| Function Trace | 161 |
| Java Traces | 161 |
| Data Cache Miss Profiles | 161 |
| Malloc Trace Profile | 162 |
| Memory Bus Bandwidth Profiles | 162 |
| Static Analysis Profile | 162 |
| VM Faults Profile | 162 |
| Windowed Time Facility | 163 |
| Setting the Sampling Rate | 163 |
| Recording Performance Events | 163 |
| Advanced Configuration Options | 164 |
| Choosing a Trigger | 164 |
| Choosing the CPU and Memory Controller | 165 |
| Filtering Programs to Profile | 165 |
| Setting Events to Record | 166 |
| G5 Specific Events | 166 |
| Event Multiplexing | 166 |
| Setting Intel Performance Events | 169 |
| Creating Profiling Equations | 170 |
| Configuring the Profiling Session | 170 |
| Profiling Your Program | 171 |

xii Table of Contents

| | |
|--|-----|
| Viewing Shark's Results | 171 |
| Heavy and Tree Views | 172 |
| Showing the Call Stack Table | 172 |
| Viewing Source Code | 173 |
| Customizing the Code Browser | 173 |
| Viewing Assembly Language Code | 173 |
| Viewing High-Level Language Code | 175 |
| Customizing What the Results Window Displays | 176 |
| Viewing Charts | 176 |
| Call Stack Chart | 177 |
| Performance Event Charts | 177 |
| Viewing Individual Samples | 177 |
| Data Mining | 178 |
| Excluding Portions of Code | 178 |
| Excluding Areas of Code | 178 |
| Excluding Individual Functions and Libraries | 179 |
| Flattening Libraries | 179 |
| Focusing on Functions | 179 |
| Performance Event Data Mining | 180 |
| System Trace Results | 180 |
| Summary | 180 |
| Scheduler Summary | 181 |
| System Calls and VM Faults Summaries | 181 |
| Trace | 181 |
| Scheduler Trace | 182 |
| System Calls Trace | 182 |
| VM Faults Trace | 182 |
| Timeline | 183 |
| MONster Profile | 183 |
| Saturn | 184 |
| Before You Profile | 184 |
| Profiling Your Program | 184 |
| Viewing Saturn's Results | 185 |
| CHUD Command-Line Tools | 185 |
| amber | 186 |
| simg4 | 187 |
| Output | 187 |
| Instruction Flow Statistics | 187 |
| Dispatch Stalls | 188 |
| Execution Unit Statistics | 188 |
| Retirement Stalls | 189 |
| Branch Statistics | 189 |
| L1 Instruction Cache Statistics | 191 |
| ITLB Statistics | 191 |
| L1 Data Cache Statistics | 192 |

| | |
|--|-----|
| DTLB Statistics | 192 |
| Software Prefetching Statistics | 193 |
| L2 Direct Mapped SRAM Statistics | 193 |
| L2 Cache Statistics | 194 |
| Processor Bus Statistics | 195 |
| Pipe Output | 197 |
| Horizontal Scroll Pipe | 197 |
| Vertical Scroll Pipe | 197 |
| simg5 | 198 |
| Output | 198 |
| CPI | 199 |
| Branch Prediction Statistics | 200 |
| Instruction Fetch and Translation Statistics | 200 |
| Instruction Cache Statistics | 201 |
| Data Side Translation Statistics | 201 |
| Data Prefetch Statistics | 201 |
| Data Cache Statistics | 202 |
| Execution Unit Statistics | 202 |
| Queue Resource Usage Statistics | 202 |
| Rename Resource Usage Statistics | 203 |
| Instruction Frequency | 203 |
| CPI Stack | 204 |
| Pipe Output | 204 |
| acid | 205 |
| Summary Information | 206 |
| Instruction Statistics | 206 |
| Use Distance Statistics | 206 |
| Branches | 207 |
| Data Access Statistics | 207 |
| Stall Cycles | 208 |
| Execution Serializing Instructions | 208 |
| Misaligned Accesses | 208 |
| Most Used Register List | 209 |
| Detailed Statistics | 209 |
| Instruction Mix Statistics | 209 |
| Executed Instruction List | 209 |
| Stall Cycles | 210 |
| Target-Use Distance Counts | 210 |
| Load-Use Distance Counts | 210 |
| Basic Block Length Counts | 211 |
| Register Use Statistics | 211 |
| Data Address Statistics | 211 |
| Instruction Address Statistics | 211 |

xiv Table of Contents

| | |
|--|------------|
| Gathering Data on Each Instruction | 212 |
| -a Option | 212 |
| -A Option | 212 |
| Chapter 7: MallocDebug | 213 |
| Running MallocDebug | 213 |
| Examining Your Program's Memory Usage | 214 |
| Flat View | 215 |
| Inverted View | 215 |
| Examining Individual Memory Allocations | 215 |
| Finding Memory Leaks | 216 |
| Finding Memory Overruns and Underruns | 216 |
| Inspecting Memory Zones | 217 |
| Narrowing Your View | 217 |
| Viewing Recent Memory Usage | 217 |
| Pruning Functions from the Call Tree | 217 |
| Organizing Memory Allocations with Mappings | 218 |
| Chapter 8: ObjectAlloc | 219 |
| Running ObjectAlloc | 219 |
| Global Allocations View | 220 |
| Instance Browser View | 222 |
| Call Stacks View | 223 |
| Stepping Through Allocations | 224 |
| Finding a Specific Memory Event | 224 |
| Showing Fresh Memory Allocations | 225 |
| Chapter 9: Command-Line Debugging Tools | 227 |
| A Command Line Primer | 227 |
| Executing Commands as root | 227 |
| Navigating Directories | 227 |
| Getting Help | 228 |
| Finding Your Application's Process ID | 229 |
| fs_usage | 229 |
| Reporting File Manager Routines | 229 |
| Running fs_usage | 230 |
| What fs_usage Tells You | 230 |
| fs_usage Options | 232 |
| -e Option | 232 |
| -f Option | 232 |
| -w Option | 232 |

| | |
|--|-----|
| sc_usage | 233 |
| What sc_usage Tells You | 233 |
| Program Summary Information | 234 |
| System Call List | 234 |
| Blocked System Call List | 235 |
| sc_usage Options | 235 |
| -c Option | 235 |
| -e Option | 236 |
| -E Option | 236 |
| -l Option | 236 |
| -s Option | 236 |
| vmmap | 237 |
| What vmmap Tells You | 237 |
| Non-Writable Memory Regions | 237 |
| Region Purpose | 238 |
| Permissions | 238 |
| Sharing Modes | 239 |
| Writable Memory Regions | 239 |
| Summary Report | 240 |
| vmmap Options | 241 |
| -d Option | 241 |
| -w Option | 241 |
| -resident Option | 241 |
| -pages Option | 242 |
| -interleaved Option | 242 |
| -submap Option | 242 |
| -allSplitLibs Option | 242 |
| heap | 243 |
| leaks | 244 |
| Running leaks | 244 |
| What leaks Tells You | 244 |
| leaks Options | 245 |
| -nocontext Option | 245 |
| -nostacks Option | 245 |
| -exclude Option | 245 |
| malloc_history | 246 |
| Running malloc_history | 246 |
| Running malloc_history on a Specific Memory Area | 246 |

| | |
|---|------------|
| Chapter 10: gcov | 247 |
| Generating Code Coverage Data in Xcode | 247 |
| Running gcov | 248 |
| Interpreting gcov's Results | 249 |
| Running Multiple Tests | 249 |
| gcov Options | 249 |
| -a Option | 249 |
| -b Option | 250 |
| -c Option | 251 |
| -f Option | 251 |
| -l Option | 251 |
| -n Option | 251 |
| -o Option | 251 |
| -p Option | 252 |
| -u Option | 252 |
| | |
| Chapter 11: Version Control with cvs | 253 |
| What You Must Do From the Command Line | 253 |
| Setting the \$CVSROOT Environment Variable | 253 |
| Creating a Repository | 254 |
| Letting Other People Access the Repository | 254 |
| Dealing with Binary and Bundled Files | 255 |
| Accessing a Remote Repository Using ssh | 256 |
| Telling cvs to Use ssh for Remote Access | 256 |
| Setting \$CVSROOT to a Remote Repository | 257 |
| Generating Keys | 257 |
| Moving Your Key to the Repository | 258 |
| Adding a Project to the Repository | 259 |
| Checking Files Out of the Repository | 259 |
| Using cvs in Xcode | 260 |
| Turning on Version Control | 260 |
| Did the Command-Line Checkout Succeed? | 260 |
| Seeing Which Files Aren't Up To Date | 261 |
| Committing Changes You Made | 262 |
| Discarding Changes You Made to a File | 262 |
| Adding Files to the Repository | 262 |
| Removing Files from the Repository | 262 |
| Seeing a File's SCM Information | 263 |
| Comparing Two Versions of a File | 263 |
| Reverting to an Old Version of a File | 263 |
| Viewing cvs Annotations | 263 |

| | |
|--|------------|
| Chapter 12: Java Tools | 265 |
| Jar Bundler | 265 |
| Setting Build Information | 265 |
| Options for Main | 266 |
| Custom Icon | 266 |
| JVM Version | 266 |
| Use Macintosh Menu Bar | 267 |
| Anti-alias Text and Graphics | 267 |
| Growbox Intrudes | 267 |
| Disable .app Package Navigation | 267 |
| Live Resizing | 267 |
| Enable Hardware Acceleration | 267 |
| Smaller Tab Sizes | 268 |
| Adding Files to the Bundle | 268 |
| Setting Properties | 268 |
| Type | 268 |
| Signature | 269 |
| Heap Size | 269 |
| Version | 269 |
| Identifier | 269 |
| Get-Info String | 269 |
| Short Version | 269 |
| VM Options | 269 |
| Allow Mixed Localizations | 270 |
| Development Region | 270 |
| Bundle Name | 270 |
| Info Dictionary Version | 270 |
| Set Working Directory Inside Application Package | 270 |
| Additional Properties | 270 |
| JavaBrowser | 271 |
| The Browser Window | 271 |
| Viewing a Class's Description | 272 |
| Viewing a Class's Source Code File | 272 |
| Viewing a Class's Documentation | 272 |
| Searching for Information | 272 |
| Filtering Class Information | 273 |
| Adding Your Own Classes to the Browser | 274 |
| Applet Launcher | 274 |
| Launching an Applet | 274 |
| Getting Applet Information | 275 |
| Serializing Applets | 275 |

| | |
|---|------------|
| Chapter 13: OpenGL Tools | 277 |
| OpenGL Profiler | 277 |
| Choosing a Program to Profile | 277 |
| Custom Pixel Formats | 278 |
| Choosing a Graphics Card Driver | 278 |
| Setting Environment Variables | 278 |
| Remote Profiling | 279 |
| Setting Breakpoints | 279 |
| Profiling Your Program | 280 |
| Viewing the Profiling Data | 280 |
| Trace Window | 280 |
| Buffers Window | 280 |
| Resources Window | 281 |
| Scripts Window | 282 |
| Breakpoints Window | 282 |
| Statistics Window | 283 |
| Pixel Format Window | 283 |
| Messages Window | 283 |
| OpenGL Driver Monitor | 284 |
| Getting Started | 284 |
| Customizing the Graph | 284 |
| Table View | 285 |
| Renderer Info | 285 |
| OpenGL Shader Builder | 286 |
| Writing a Shader | 286 |
| Starting and Ending a Shader | 287 |
| Placing Comments | 287 |
| Declaring Variables | 287 |
| Attribute Variables | 288 |
| Program Parameter Variables | 289 |
| Temporary Variables | 295 |
| Result Variables | 295 |
| Using OpenGL Shader Builder | 296 |
| Giving Your Variables Initial Values | 297 |
| Applying a Texture Map | 297 |
| GLSL Log Window | 297 |
| Debugging Shaders | 297 |
| Moving Your Shader to Your OpenGL Program | 298 |